Breeze Modular Atmosphere and Environment





Breeze Modular 44

Atmosphere and environment.

The 44mm suite ensures a crisp and streamlined finish providing space saving opportunities.

With its range of design options, the Demountable System provides the designer with the option of creating a variety of outcomes, whilst maintaining a clean streamlined appearance.

Each module can be connected together with a variety of configurations, each providing their own distinct appearance and adding to the corporate image of the suite.

Features of the Breeze Modular 44


- Prefabricated modular system
- Reusable and relocatable
- Minimise trades on site
- Tax write off advantages (refer to your accountant for more information)
- Streamlined 44mm walls
- Ease of installation
- Functional and adaptable
- Space savings through minimum wall thickness






Breeze Modular 44 Specifications

Plan View




Breeze Modular 44 Specifications


Full Height 'A' Type Elevation




Half Height 'C' Type Elevation



Full Height 'H' Type Elevation



Full Height Door 'FD' Door Type Elevation



Breeze Modular 44

	Section Name	Code	Stock Sizes
	Section Name	Code	STOCK SIZES
51 24	Ceiling Channel Square	CI-0010	6000mm
48	Wall Starter	CI-0013	5400mm 6000mm
48	Post Face	CI-0070	5400mm 6000mm
48 20	Sill: Square	CI-0050	6000mm
44	Sash (Post Corner)	CI-0030	5400mm 6000mm
47	External "H"	CI-0074	5400mm 6000mm
55	Door Jamb	CI-0022	6500mm
	35mm Door Edge	CI-0023	2800mm
46	44mm Door Edge	CI-0024	3200mm
	45 Degree Corner Post	CI-0072/	5400mm
	45 Degree Corner Post	CI-0073	5400mm
	Door Angles (Used to join corners of Cl-0022 Door Jamb)	817239	

Breeze 44 Accessories

4.8mm (Black/Grey) Door Seal 843484 842019 Post Tape (Black, APO Grey, White)

Post Tape (Black, Dark Grey, APO Grey, White) 842019.BR

44mm Floor Track - 2400mm 700424 859575 Jacks (Bolt, Nut & Washer) - 75mm 859500 Jacks (Bolt, Nut & Washer) - 100mm

Post Face - Bolts & Nuts 854575