



BARWON HINGE & PIVOT DOOR QUICK ORDER FORM

COMPANY NAME	_____	SUBURB/POSTCODE	_____	SITE CONTACT PHONE	_____
YOUR NAME	_____	ORDER DATE	_____	DELIVERY TIME	_____
PROJECT NAME	_____	DUE DATE	_____	SPECIAL INSTRUCTIONS	_____
DELIVERY ADDRESS	_____	CUSTOMER ORDER #	_____		_____
	_____	SITE CONTACT NAME	_____		_____

DOOR TYPE (Hinge or pivot)	DOOR FINISH	COLOUR	GLAZING	STILE SIZE (refer to p.2)	TOP RAIL SIZE (refer to p.2)	BOTTOM RAIL SIZE (refer to p.2)	MID RAIL SIZE (If appl. refer to p.2)	MIDRAIL POSITION (mm) NO LOCK BOX (refer to p.2)	LOCK BOX	LOCK BOX LENGTH (mm)

DOOR REF #	SIZE				LOCKS & HANDLES							HARDWARE						ADDITIONAL MACHINING
	FINISHED HEIGHT (mm)	FINISHED WIDTH (mm)	INACTIVE DOOR WIDTH (mm)	HANDING ACTIVE/INACTIVE (refer to p. 2)	LOCK/ HANDLE TYPE (refer to p. 3)	SUPPLY & FIT	HANDLE HEIGHT (mm to centre of lever)	MACHINE ONLY				BOTTOM SEAL (refer to p. 3)	MACHINE ONLY	SUPPLY & FIT	FLUSH BOLT TOP	FLUSH BOLT BASE	DOOR CLOSER (PIVOT) MACHINE ONLY (refer to p. 3)	
								FACEPLATE	HANDLE HOLES	CYL. HOLE (Outside)	TURN SNIB							

SPECIAL INSTRUCTIONS

All hardware must be ordered separately. If provided from a different supplier, please include manufacturer code and specifications for accurate machining.


Send completed form to:

VIC orders@criterionindustries.com.au
NSW sales.nsw@criterionindustries.com.au
WA sales.wa@criterionindustries.com.au
QLD sales.qld@criterionindustries.com.au










VIC **NSW** **WA** **QLD**

For information relating to delivery and returns [click here](#)





STANDARD MEASURING AND MANUFACTURING DETAILS

DOOR WIDTH	Daylight Width - 9mm
DOUBLE DOOR WIDTH	Daylight Width - 13mm (4mm each side for hinges and 5mm gap between meeting stiles)
DOOR HEIGHT	Daylight Height - 15mm off Finished Floor Level (3mm from the top and 12mm from base) - X (allowances for Floor Finishes)
STANDARD HANDLE HEIGHT	1000mm to centre of lever from base of door
STANDARD MACHINING DETAILS	Cylinder Hole is always machined to outside of door unless otherwise specified
MIDRAIL POSITION	No Lock Box - Measurement (mm) top of rail from bottom of door With Lock Box - Position of 2 midrails is determined by handle height
METHOD OF MEASURING DOOR OPENINGS	<p>Typical door Jamb</p>  <p>Measure Height on outside of Jamb</p> <p>Measure widths at 3 points and use smallest measurement (if door varies more than 4mm from top to bottom specify this under special instructions)</p> <p>Finished floor level</p>









STILE TYPES







CI-6046 Slimline Wiper Stile		CI-6028 Narrow Plain Stile	
CI-6047 Slimline Pivot Stile		CI-6028 Narrow Plain Stile	
CI-6048 Slimline Plain Stile		CI-6037 Wide Pivot Stile	
CI-6026 Narrow Wiper Stile		CI-6038 Wide Plain Stile	
CI-6027 Narrow Pivot Stile			







RAIL TYPES

CI-6023 Narrow Rail		CI-6029 Narrow Midrail	
CI-6024 Wide Rail		CI-6039 Wide Rail Adaptor (Wide Midrail)	

HANDING LEGEND

	LEFT HANDED DOORS	RIGHT HANDED DOORS
Active Leaf	HL01 	HLR01 
	HL02 	HLR02 
Inactive Leaf	HL03 	HLR03 
	HL04 	HLR04 

LOCK/HANDLE DESCRIPTION	TUBULAR LATCH	A0901 LOCKWOOD ENTRANCE SET	89MM BACKSET MORTICE LOCK	60MM BACKSET MORTICE LOCK	NARROW BACKSET MORTICE LOCK	ROLLER BOLT
			 <div>Used for Slimline Stile w/ Lock Box</div>	 <div>Used for Wide Stile</div>	 <div>Used for Narrow Stile</div>	
Kit code	.Tub	.EntA90	.89Mor (Slimline Stile/Lockbox)	.StdMor (Wide Stile)	.N/BMor (Narrow Stile)	.Rol
Kit code description	Prep for Tubular Latch	Prep for A0901 Lockwood Entrance Set	Prep for 89mm Hinged Mortice	Prep for Standard Hinged Mortice	Prep for Narrow Backset Mortice	Prep for Roller Bolt
Kit components	Machine for Tubular Latch Plate	Machine for A0901 Entrance Set	Machine for Lockwood Faceplate (114mm)	Machine for Lockwood Faceplate (114mm)	Machine for Lockwood Faceplate (66mm)	Machine for Roller Bolt
			Machine 89mm Mortice Lock Cylinder Hole	Machine Standard Mortice Lock Cylinder Hole	Machine Narrow B/Set Mortice Lock Cylinder Hole	
			Machine 89mm Mortice Lock Turnsrib Hole	Machine Standard Mortice Lock Turnsrib Hole	Machine Narrow B/Set Mortice Lock Turnsrib Hole	
	Machine for Lever Holes		Machine for Lever Holes	Machine for Lever Holes	Machine for Lever Holes	

SEAL DESCRIPTION	STANDARD BOTTOM SEAL	HEAVY DUTY BOTTOM SEAL	DOOR CLOSER DESCRIPTION	TRANSOM CLOSER	FLOOR SPRING	FLUSH BOLT DESCRIPTION		ADDITIONAL MACHINING	ELECTRONIC TRANSFER SPRING
									
Kit code	.StdSea	.HeaSea	Kit code	.TraClo	.FloSpr	Kit code	.FluBol	Kit code	.TraSpr
Kit code description	Prep for IS8010/RP8 Seal	Prep for IS8100/RP70 Seal	Kit code description	Prep for Overhead Transom Closer	Prep for Floor Spring	Kit code description	Prep for Flush Bolt	Kit code description	Prep for Transfer Spring
Kit components	Machine for IS8010/RP8 seal to Base	Machine for IS8100/RP70 seal to base	Kit components	Infill top of door with timber to create a 17mm rebate, to suit a 65mm pivot point on the hinge side	Infill top of door with timber to create an 8mm Rebate	Kit components	Machine for 600mm Flush Bolt to Base	Kit components	Machine Hinge Stile for Transfer Spring
							Machine for 300mm Flush Bolt to Base		
				Infill base of door to create a 19mm rebate, to suit a 65mm pivot point on the hinge side	Infill base of door with timber to create a 20mm rebate		Machine for 600mm Flush Bolt to Top		
							Machine for 300mm Flush Bolt to Top		