



# BARWON SLIDING DOOR QUICK ORDER FORM

COMPANY NAME _____	SUBURB/POSTCODE _____	SITE CONTACT PHONE _____
YOUR NAME _____	ORDER DATE _____	DELIVERY TIME _____
PROJECT NAME _____	DUE DATE _____	SPECIAL INSTRUCTIONS _____
DELIVERY ADDRESS _____	CUSTOMER ORDER # _____	_____
_____	SITE CONTACT NAME _____	_____

DOOR FINISH	COLOUR <small>(If finish is powdercoat or special anodised)</small>	GLAZING	STILE SIZE <small>(refer to p.2)</small>	TOP RAIL SIZE <small>(refer to p.2)</small>	BOTTOM RAIL SIZE <small>(refer to p.2)</small>	MID RAIL SIZE <small>(If appl. refer to p.2)</small>	MIDRAIL POSITION (mm) <small>NO LOCK BOX (refer to p.2)</small>	LOCK BOX	LOCK BOX LENGTH (mm)

DOOR REF #	SIZE			SLIDING TRACK MACHINING <small>(refer to p. 3)</small>	LOCKS & HANDLES							ADDITIONAL MACHINING	
	FINISHED HEIGHT <small>(mm)</small>	FINISHED WIDTH <small>(mm)</small>	HANDING <small>(refer to p. 2)</small>		HANDLE TYPE <small>(refer to p. 3)</small>	LOCK TYPE <small>(refer to p. 3)</small>	SUPPLY & FIT	HANDLE HEIGHT <small>(mm to centre of handle)</small>	MACHINE ONLY				
									FACEPLATE	HANDLE HOLES	CYL. HOLE (Outside)		TURN SNIB

### SPECIAL INSTRUCTIONS

All hardware must be ordered separately. If provided from a different supplier, please include manufacturer code and specifications for accurate machining.

---



---

### Send completed form to:

- VIC** orders@criterionindustries.com.au
- NSW** sales.nsw@criterionindustries.com.au
- WA** sales.wa@criterionindustries.com.au
- QLD** sales.qld@criterionindustries.com.au










**VIC                      NSW                      WA                      QLD**

For information relating to delivery and returns [click here](#)





## STANDARD MEASURING AND MANUFACTURING DETAILS

<b>Method of measuring</b>	Refer to Product Guide or Website
<b>Standard handle height:</b>	1000mm to centre of handle (unless otherwise specified under Special Instructions)
<b>Standard D-Pull height:</b>	1000mm to centre of handgrip (unless otherwise specified under Special Instructions)
<b>Standard machining details</b>	Cylinder Hole is always machined to outside of door if specified to be machined
<b>Midrail Position</b>	No Lock Box - Measurement (mm) top of rail from bottom of door With Lock Box - Position of 2 midrails is determined by handle height















## STILE TYPES

CI-6046 Slimline Wiper Stile	
CI-6047 Slimline Pivot Stile	
CI-6048 Slimline Plain Stile	
CI-6026 Narrow Wiper Stile	
CI-6027 Narrow Pivot Stile	
CI-6028 Narrow Plain Stile	
CI-6036 Wide Wiper Stile	
CI-6037 Wide Pivot Stile	
CI-6038 Wide Plain Stile	




## RAIL TYPES






CI-6023 Narrow Rail	
CI-6024 Wide Rail	
CI-6029 Narrow Midrail	
CI-6039 Wide Rail Adaptor (Wide Midrail)	






## HANDING LEGEND

PLAIN / PLAIN		WIPER / WIPER	
PLPL01		WW01	
PLPL02		WW02	
WIPER / PIVOT		PIVOT / WIPER	
WP01		PW01	
WP02		PW02	
WIPER / PLAIN		PLAIN / WIPER	
WPL01		PW03	
WPL02		PW04	
PAIR WIPER / PLAIN			
WPPAIR01		WPPAIR02	

L = Leading stile

MORTICE LOCK TYPE	60MM B/SET MORTICE SLIDING DOOR LOCK	89MM B/SET SLIDING DOOR MORTICE LOCK	NARROW B/SET SLIDING DOOR FLIP LOCK (TONGUE ONLY)
	 <b>Used for Wide Stile</b>	 <b>Used for Slimline Stile w/ Lock Box</b>	 <b>Used for Narrow Stile</b>
<b>Kit code</b>	.StdSli	.89/SLI	.N/BSli
<b>Kit code description</b>	Prep for Std Sliding Mortice Lock	Prep for 89mm Sliding Mortice Lock	Prep for Narrow Backset Sliding Mortice Lock
<b>Kit components</b>	Machine Faceplate	Machine Faceplate	Machine N/Backset Fliplock Faceplate
	Machine Std Mortice Lock Cylinder Hole	Machine 89mm Mortice Lock Cylinder Hole	Machine Narrow B/Set Mortice Lock Cylinder Hole
	Machine Std Mortice Lock Turnsrib Hole	Machine 89mm Mortice Lock Turnsrib Hole	Machine Narrow B/Set Mortice Lock Turnsrib Hole Machine for Disabled Turnsrib (optional)

HANDLE TYPE	300MM D-PULL	600MM D-PULL	600MM H-PULL	FINGER PULL	FLUSH PULL
					
<b>Kit code</b>	.300D/P	.600D/P	.StrH/P	.FinPul	.FluPul
<b>Kit code description</b>	Machine for 300mm D-Pull	Machine for 600mm D-Pull	Machine for 600mm H-Pull	Prep for Finger Pull	Prep for Standard Flush Pull
<b>Kit components</b>	Machine centre of stile faces for 300mm D-Pull (300mm hole centres)	Machine centre of stile faces for 600mm D-Pull (600mm hole centres)	Machine centre of stile faces for 600mm H-Pull (450mm hole centres)	Machine Edge of Leading Stile for Finger Pull	Machine Face of Leading Stile for Flush Pull

SLIDING TRACK TYPE	TANARO CAVITY	ARCTIC/ACACIA – LOW CLEARANCE	ARCTIC/ACACIA – STANDARD	ATLANTIC SLIDING SYSTEM	AMAZON SLIDING DOOR
					
<b>Kit code</b>	.Art/Tan	.ArcLow	.ArcStd	.AtlSys	.AmaSys
<b>Kit code description</b>	Prep for Tanaro Cavity Unit	Prep for Arctic Sliding System - Low Clearance	Prep for Arctic Sliding System - Standard Roller	Prep for Atlantic Sliding System	Prep for Amazon Sliding System
<b>Kit components</b>	Infill top of door with timber to suit CDS-180 Roller Assembly	Machine and Infil Top of Door for CI-817026 Low Clearance Roller	Machine and Infil Top of Door for CI-817024 Standard Roller	Infill top of door with timber to suit CDS-180 Roller Assembly	Prep base of Door for CI-817103 Amazon Roller Assembly
	Machine and Fill Base of Door to suit 25 x 5mm T-Guide	Machine and Prep for 817100 Floor Mounted Roller Guide	Machine and Prep for 817100 Floor Mounted Roller Guide	Machine Stile Base for Roller Guide	
		Machine and Prep for 817033 Arctic Wall Mounted Roller Guide with P-Elyne Insert	Machine and Prep for 817033 Arctic Wall Mounted Roller Guide with P-Elyne Insert		
	Machine and Fill Base of Door with Timber to Suit 25 x 5mm T-Guide	Machine and Fill Base of Door to suit 25 x 5mm T-Guide			